




DUO system
color

Setting new standards

system
color
DUO



Duo system Color is the **Farfisa** digital system for a **fast, practical** and cost effective video or intercom system using just two wires.

The range of products for the Duo System Color system has been dramatically expanded with new stylish products for both internal and external stations.

*For internal units there is now a choice of products from the **Echos** and new **Exhito** ranges as well as the popular **Compact** line of products. Outside, the robust yet elegant range of **Matrix** external door stations is joined by **Profilo**, door station products that offer a discrete contemporary design and are particularly suitable for applications where space is limited.*

Duo System Color can support up to 200 internal stations with many main and secondary door stations using just two non polarized conductors throughout the entire system. Installation times, even for complex systems, are radically reduced with a corresponding reduction in costs.

Echos



ECHOS INTERNAL STATIONS

EH9262CW

Dim: mm 208x103x26
Colour: white and grey

Colour hands-free monitor for Duo System Color. LCD 3.5" screen, adjustable on horizontal axis. Function buttons for door-opening, auto switch-on, bell exclusion (with LED indicating the setting), volume and brightness adjustment and 6 further buttons for intercommunicating and additional functions.

EH9262CT

Dim: mm 208x103x26
Colour: metal grey colour

Colour hand-free monitor for Duo System Color. LCD 3.5" screen, adjustable on horizontal axis. Function buttons for door-opening, auto switch-on, bell exclusion (with LED indicating the setting), volume and brightness adjustment and 6 further buttons for intercommunicating and additional functions.

9083

Back box for wall mounting of EH9262CW and EH9262CT monitors.

WA9100W

Dim: mm 14x24x7
Colour: white and grey

Wall adaptor for surface mounting of EH9262CW monitor.

WA9100T

Dim: mm 14x24x7
Colour: metal grey colour

Wall adaptor for surface mounting of EH9262CT monitor.

Exhito

EXHITO INTERNAL STATIONS

EX3262C

Dim: mm 211x218x62
Colour: white

Colour monitor LCD 4" screen for Duo System Color. Provided with 7 function buttons (auto switch-on, door-opening and further 5 for additional functions).

EX3262

Dim: mm 211x218x62
Colour: white

B/W monitor 4" screen for Duo System Color. Provided with 7 function buttons (auto switch-on, door-opening and further 5 for additional functions).

WB3262

Wall bracket for EX3262C or EX3262 monitors.

EX362

Dim: 44x27x47
Colour: white

Intercom for Duo System, provided with 7 function buttons, 1 of which door-opening and further 6 for additional functions.



DUO system color

INTERNAL STATIONS

Echos, Exhito and Compact are the product lines used for **Duo System Color**. All offer a stylish solution with many features and high performance including the option of colour while Exhito and Compact allow the integration of intercom apparatus.

EXTERNAL STATIONS

In video and audio installations **Duo System Color** exploits the aesthetics of modular external door stations from the **Profilo** or **Matrix** ranges. Compositions with digital or conventional modules are possible. Both of them integrate the electric door speaker and call buttons that are back-lit in green. The **Profilo** range is the ideal solution for systems where only limited space is available manufactured from aluminium with stainless steel buttons. **Matrix** is an anti-vandal range where plates and push buttons are stainless steel, it allows compositions to be mounted vertically or horizontally.



Compact

COMPACT INTERNAL STATIONS

KM8262CW

Dim: mm 201x229x88
Colour: white

Colour monitor for DUO System Color, with LCD 4" screen for wall surface mounting. It is equipped with 3 push buttons for door-opening, auto switch-on and additional functions. The intercommunicating call is possible between other monitors or intercoms; call from landing is allowed.

KM8262W

Dim: mm 201x229x88
Colour: white

B/w monitor for DUO System, with flat 4" screen for wall surface mounting. It is equipped with 3 push buttons for door-opening, auto switch-on and additional functions. The intercommunicating call is possible between other monitors or intercoms; call from landing is allowed.

WB8262C

Wall bracket with terminals for wall mounting of KM8262CW monitor.

WB8262

Wall bracket with terminals for wall mounting of KM8262W monitor.

KM862W

Dim: mm 86x85x211
Colour: white

Intercom for Duo System, provided with 1 function button for door-opening and one for intercommunicating call or other service.



Profilo

PROFILO AUDIO AND VIDEO MODULES

AD2120CPL

Dim: mm 99x110x17

Audio external door station for Duo System without call buttons. To be installed joint with CD213PL module with conventional buttons or with digital TD2100PL module.

VD2120CPL

Dim: mm 99x110x17

Audio-video external door station for Duo System Color without call buttons. Colour camera with fixed 3.6 mm lens. To be installed joint with CD213...PL module with conventional buttons or with digital TD2100PL module.



PROFILO DIGITAL EXTERNAL STATIONS

TD2100PL

Dim: mm 99x110x17

Digital door station for Duo System, with aluminium front plate and 14 buttons. Equipped with 16-digit display on 2 lines. It allows the call from the user by dialling the corresponding number and electric lock release by entering the private code. The electronic index is also integrated, which gives the possibility to scroll the names in alphabetical order and select the desired one. It can store up to 200 user names.

PROFILO CONVENTIONAL EXTERNAL STATIONS

CD2131PL

Dim: mm 99x110x17

Digital decoder for Duo System with 1 button for conventional external station, it can code up to 128 users.

CD2132PL

Dim: mm 99x110x17

Digital decoder for Duo System with 2 buttons for conventional external station, it can code up to 128 users.

CD2134PL

Dim: mm 99x110x17

Digital decoder for Duo System with 4 buttons for conventional external station, it can code up to 128 users.

CD2138PL

Dim: mm 99x110x17

Digital decoder for Duo System with 8 buttons for conventional external station, it can code up to 128 users.

PL24S

Additional module with integrated decoder for external stations with 4 buttons for Duo System installations.

PL228S

Additional module with integrated decoder for external stations with 8 buttons on 2 rows for Duo System installations.

Matrix

MATRIX AUDIO AND VIDEO MODULES

VD2120CMA

Dim: mm 115x115

Colour audio-video external station for Duo System Color without call buttons. The camera has a fixed 3.6 mm lens.

VD2120MA

Dim: mm 115x115

B/w audio-video external station for Duo System Color without call buttons. The camera has a fixed 3.6 mm lens.

MATRIX DIGITAL EXTERNAL STATION

TD2100MA

Dim: mm 115x115

Digital door station for Duo System, with stainless steel front plate and 14 buttons. Equipped with 16-digit display on 2 lines. It allows the call from the user by dialling the corresponding number and electric lock release by entering the private code. The electronic index is also integrated, which gives the possibility to scroll the names in alphabetical order and select the desired one. It can store up to 200 user names.

MATRIX CONVENTIONAL EXTERNAL STATIONS

CD2132MA

Dim: mm 115x115

Digitiser for Duo System with 2 call buttons for conventional external door station. It can code up to 128 users.

CD2134MA

Dim: mm 115x115

Digitiser for Duo System with 4 call buttons for conventional external door station. It can code up to 128 users.

AD2110MA

Dim: mm 115x115

Audio external door station for Duo System, without call buttons.

MA22S

Dim: mm 115x115

Module for additional call buttons for Duo System, with 2 call buttons to be connected to CD2132MA or CD2134MA. Encoding board for 2 buttons integrated.

MA24S

Dim: mm 115x115

Module for additional call buttons for Duo System, with 4 call buttons to be connected to CD2132MA or CD2134MA. Encoding board for 4 buttons integrated.



POWER SUPPLIES AND ACCESSORIES

2220S

Power supply for Duo System for conventional and digital external door stations. Output 13 Vac/1A. 3 DIN modules

2221S

Line driver 6 DIN modules. Directly connected to the mains, it allows power to Duo System riser

2223

Video amplifier for b/w Duo System installations

2223C

Video amplifier for Duo System colour installations

2273

Digital exchanger for Duo System.

PRS210

15VA transformer. 127-230V. 13 Vac. VDE certification. 3 DIN modules in DIN bar, or it can be mounted on the wall. Can be used to power art. 2223, 2223C, 2273 and 2281.

2302

Twisted pair wire for Duo System with single section 1 sq. mm., 100 m coil

DV2420

Line distributor for Duo System

DV2421P

Line distributor for Duo System

2281

Actuator for Duo System, used to activate auxiliary services, such as additional door lock, lights, and chimes.

VIDEOKIT

EH9262PLCW

One-way colour video kit with white Echos monitor and Profilo external station.

EH9262PLCT

One-way colour video kit with metal grey colour Echos monitor and Profilo external station.

EH9262PLCW/2

Two-way colour video kit with white Echos monitors and Profilo external station.

EH9262PLCT/2

Two-way colour video kit with metal grey colour Echos monitors and Profilo external station.

EX3262PLC

One-way colour video kit with Exhito monitor and Profilo external station.

EX3262PL

One-way b/w video kit with Exhito monitor and Profilo external station.

KM8262MXW

One-way b/w video kit with Compact monitor and Matrix external station.

INSTALLATION EXAMPLE

- A: EX3262C
- B: EH9262CW
- C: EX362
- D: 2221S
- E: VD2120CMA + TD2100MA
- F: VD2120CPL + CD2134PL
- G: 2220S

