



Studio

Multiple Functions
One Solution

STUDIO
Video Intercom



Style

Quality

Technology

Studio

■ The protagonist of the new production, the Studio series is characterised by advanced technology, elegant design and integration of multiple functions.

Open to future evolutions, the versatile architecture guarantees a wide selection of services in a single solution.

■ Modularity and flexibility allow intercoms and intercom telephone sets to be used individually or in functional combinations with monitor and video memory module by interfacing the various wiring systems.

■ The practical modular system makes installation and expansion procedures easy. The accurate, ergonomic design is aesthetically innovative and functional in use: a proposal specially created to satisfy all installation needs and suitable to any available space.

Studio is a reliable product designed for long performance with total security.

■ The intercom telephone set of the STUDIO modular line allows for combining the intercom and video intercom service – both b/w and colour – to the telephone and intercommunication service.

When connected to FARFISA PABXs, easy-to-use dedicated buttons allow users to communicate with external door stations, answer to intercom calls and activate electric household utilities. The interaction with the telephone network is just as simple as with a standard telephone and takes full advantage of the functions delivered by PABXs and the services offered by telephone service providers.

■ Through the integration with electronic-call intercoms, the b/w and colour monitors of the STUDIO line provide for video intercom stations, that are available in all installations where the transmission of the video signal takes place over coaxial cable or pair. The modularity of the system allows for the elegant, yet practical, combination of 32-image video memory modules.



video
STT100W / STT100CW

The simple, pleasant design has been especially studied for universal integration.

The practical modular system facilitates the installation of the various components, with the possibility of fast immediate expansions.


Intercom module with buttons or multiple functions.

B/w or colour monitor module.

32 images in video memory module.

Intercom telephone set with full telephone functions.

Connection to FARTEL PABXs.



ST7100W

white colour
156 x 224 x 61

Monitor Studio series in white colour with button for Control switch on and one supplementary button. Video signal input with coaxial cable or by balanced line.

ST7100CW

colour
white colour
156 x 224 x 61

Colour monitor Studio series in white colour with button for Control switch on and one supplementary button. The 4" LCD colour screen can be adjusted in inclination. Video signal input with coaxial cable or by balanced line.

ST720W

white colour
93 x 209 x 67

Intercom of Studio series in white colour and with spiral cord, door lock release button. Up to six button or accessories can be added enhancing the available functions.

ST740W

white colour
93 x 209 x 67

It is an intercom telephone set which, when connected as internal number to a FT105P or FT208P PABX, allows the direct call to other internal numbers. When the PABX is provided with the intercom/relay board, it enables the door-opener function and the activation of electrical equipment with a single button. Designed in Studio line and in white colour, ST740W completes the Farfel FT105P and FT208P PABX's, allowing for easily-installed intercommunication systems, thus integrating all the household communication functions (telephone, intercom and intercommunication).

ST7M32W

white colour
93 x 183 x 43

Video memory module series Studio. It can store up to 32 pictures. Video input signal with coaxial cable or by balanced line.



STUDIO
Video Intercom-Video Memory


STUDIO
Video Intercom-Telephone-Set

COMPLEMENTS AND FIXING ELEMENTS


- WB700**
Wall bracket for module Studio series and intercom telephone set ST740W. For intercom ST720W when connected to the monitor module.
- WB7100**
Wall bracket for monitors ST7100W and ST7100CW.
- WB7100DG**
Wall bracket for monitors ST7100W and ST7100CW with integrated decode module.
- ST701**
Single button unit for intercom ST720W.
- ST702W**
LED module for door open or other functions indication.
- ST703**
Three level switch for ST720W intercom to adjust chime volume.
- ST715**
Switch module to cut out ringer or other functions.
- ST716**
Switch module with LED indication for intercom ST720W. It allows according to the connection to activate or deactivate connected command.
- ST704**
Additional loudspeaker.
- ST4231**
Integrated decode module for intercom ST720W.
- TA700W**
Table adapter for accessories, intercom and intercom-telephone set, when in composition. Complete for correct alignment with TA7100W, TA700W or TA720W. To be mounted with WB700.
- TA720W**
Table adapter, for ST720W single intercom. With junction box and cable.
- TA7100W**
Table adapter for ST7100W and ST7100CW. With cable clamp, junction box and cable. To be mounted with WB7100.

ILLUSTRATIVE DIAGRAMS


Intercoms connected to 1 external door station, traditional intercom system




Multi-way videointercom system with 2 automatically switched entrances, one of which only audio, traditional system



Digital videointercom system with 1 entrance and videointercoms with integrated decode module



Examples of systems with intercom-telephone-set and PABX'S



ACI srl
Via E. Vanoni, 3 • 60027 Osimo (An) Italy
Tel (+39) 071.720.2038
Fax (+39) 071.720.2037
info@acifarfisa.it • www.acifarfisa.it

