

ACCESS CONTROL

FC52PL ▼

Dim: mm 99x110x17

Stand alone keypad with aluminium front plate and stainless steel buttons, that can be installed singularly or in composition with Profilo door stations for surface or flush mounting. Keypad for programming and setting relay enable codes of the two relays for door opening or access control etc.. Keypad deactivation with increasing time intervals (max 25 sec), and, in case of wrong combination, deactivation is automatic. Programmable codes from 1 to 8 digits for each relay, programmable timer from 1 to 99 sec. or bistable working of relays. Two LED's and sound signals indicate correct or wrong combination and programming. Relay can be activated by pressing additional button. Power supply 12 Vac/dc.

FP52PL ▼

Dim: mm 99x110x17

Aluminium stand alone proximity reader into a Profilo door station model. Designed for access control, it exploits Profilo accessories for flush or surface mounting, so even compositions for videointercom system are possible. Supplied with two relays with programmable timer according to the features of the connected device. The programming is made through a master card managed by a display and front LED's that indicate also data insertion of the enabled cards. Memory capacity is 500 cards, therefore ideal use is access control of complex buildings or communities. It is provided with 4 cards + 1 master card. Power supply 12 Vac/dc.

ADDITIONAL BUTTON MODULES



PL21

Dim: mm 99x110x17

Module with 1 additional call button.



PL22

Dim: mm 99x110x17

Module with 2 additional call buttons.



PL23

Dim: mm 99x110x17

Module with 3 additional call buttons.



PL24

Dim: mm 99x110x17

Module with 4 additional call buttons.



PL226

Dim: mm 99x110x17

Module with 6 additional call buttons in two rows.



PL228

Dim: mm 99x110x17

Module with 8 additional call buttons in two rows.



241DMA

4-diode module to be inserted in button modules PL21, PL22, PL23, PL24 for audio 1+1 and video 4+1 systems.



PL50

Dim: mm 99x110x17

Street number module



PL20

Dim: mm 99x110x17

Blank module

INSTALLATION ELEMENTS

PL71

Dim: mm 91x133x47
Back box for 1 module

PL72

Dim: mm 91x244.5x47
Back box for 2 modules

PL73

Dim: mm 91x356x47
Back box for 3 modules

PL81

Dim: mm 118x153x41
Hood cover for 1 module

PL82

Dim: mm 118x264x41
Hood cover for 2 modules

PL83

Dim: mm 118x376x41
Hood cover for 3 modules

PL84

Dim: mm 217x264x41
Hood cover for 4 modules on 2 vertical rows

PL86

Dim: mm 217x376x41
Hood cover for 6 modules on 2 vertical rows

PL89

Dim: mm 316x376x41
Hood cover for 9 modules on 3 vertical rows

PL91

Dim: mm 118x154x80
Surface mounting box for 1 module

PL92

Dim: mm 118x265x80
Surface mounting box for 2 modules

PL93

Dim: mm 118x377x80
Surface mounting box for 3 modules

PL94

Dim: mm 217x264x80
Surface mounting box for 4 modules on 2 vertical rows

PL96

Dim: mm 217x376x80
Surface mounting box for 6 modules on 2 vertical rows

PL99

Dim: mm 316x376x80
Surface mounting box for 9 modules on 3 vertical rows

